

Message

**From:** Baker, Lorie [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=73F8A9187DD0460AB3D3B4ABEB1C6026-LBAKER04]  
**Sent:** 7/24/2019 7:57:08 PM  
**To:** Nonresponsive based on revised scope [redacted]@WestonSolutions.com]  
**Subject:** RE: blades outlier well [redacted]

## Ex. 5 Deliberative Process (DP)

Are we still shooting for the 31<sup>st</sup> or so for submittal of the second revision?

**From:** Nonresponsive based on revised scope [redacted]@WestonSolutions.com>  
**Sent:** Wednesday, July 24, 2019 1:39 PM  
**To:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Subject:** blades outlier well [redacted]

Hey Lorie,

## Ex. 5 Deliberative Process (DP) / Ex. 6 Personal Privacy / Ex. 9 - Wells

Nonresponsive based on revised scope [redacted]

Principal Project Scientist  
Weston Solutions, Inc.

Ex. 5 Deliberative Process (DP) [redacted]

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.